ELSEVIER

Molecular Brain Research 64 (1999) 270–271

MOLECULAR BRAIN RESEARCH

# Author Index

Adamec, E., see Buchner, K. (64) 222

Badr, G.A., Zhang, J.-Z., Tang, J., Kern, T.S. and Ismail-Beigi, F.
Glut1 and Glut3 expression, but not capillary density, is increased by cobalt chloride in rat cerebrum and retina (64) 24
Bales, K.R., see Dodel, R.C. (64) 141
Ball, S.G., see Danks, K. (64) 236
Barettino, D., see Pombo, P.M.G. (64) 92
Barth, S.W. and Gerstberger, R.
Differential regulation of angiotensinogen and $AT_{1A}$ receptor mRNA within the rat subfornical organ during dehydration (64) 151
Batten, T.F.C., see Danks, K. (64) 236
Beermann, M.L., see Buchner, K. (64) 222
Bekker, J.M., see Phung, Y.T. (64) 165
Bertoni-Freddari, C., see Pompei, P. (64) 132
Black, S.M., see Phung, Y.T. (64) 165
Buchner, K., Adamec, E., Beermann, M.L. and Nixon, R.A.
Isoform-specific translocation of protein kinase C following glutamate administration in primary hippocampal neurons (64) 222
Burno, M., see Olsen, M.A. (64) 255
Burnstock, G., see Townsend-Nicholson, A. (64) 246

Carvey, P.M., see Dodel, R.C. (64) 141
Casper, D., see Stamm, S. (64) 108
Chase, T.N., see Nakai, M. (64) 59
Chen, G., Yuan, P.-X., Jiang, Y.-M., Huang, L.-D. and Manji, H.K.
Valproate robustly enhances AP-1 mediated gene expression (64) 52
Cheng, R., see Sawzdargo, M. (64) 193
Christakos, S., see Wernyj, R.P. (64) 69
Chung, J.M., see Shen, H. (64) 186
Chung, K., see Shen, H. (64) 186
Costa, G., see Pompei, P. (64) 132

Danks, K., Wade, J.A., Batten, T.F.C., Walker, J.H., Ball, S.G. and Vaughan, P.F.T.
Redistribution of F-actin and large dense-cored vesicles in the human neuroblastoma SH-SY5Y in response to secretagogues and protein kinase Cα activation (64) 236
Dodel, R.C., Du, Y., Bales, K.R., Ling, Z., Carvey, P.M. and Paul, S.M.
Caspase-3-like proteases and 6-hydroxydopamine induced neuronal cell death (64) 141
Dohi, T., see Mizuno, N. (64) 41

Du, Y., see Dodel, R.C. (64) 141
Dube, M.G., see Pu, S. (64) 85

Edwards, T.G., see Pu, S. (64) 85

Fattoretti, P., see Pompei, P. (64) 132
Faull, R.L.M., see Valdenaire, O. (64) 211
Friberg, I.K., see Standaert, D.G. (64) 11
Fukumaki, Y., see Hamamura, M. (64) 119

George, S.R., see Sawzdargo, M. (64) 193
Gerstberger, R., see Barth, S.W. (64) 151
Gill, R., see Van Lookeren Campagne, M. (64) 1

Hall, M., see Thier, M. (64) 80
Hallmark, O.G., see Phung, Y.T. (64) 165
Hamamura, M., Ozawa, H., Kimuro, Y., Okouchi, J., Higasa, K., Iwaki, A. and Fukumaki, Y.
Differential decreases in c-*fos* and aldolase C mRNA expression in the rat cerebellum after repeated administration of methamphetamine (64) 119
Hanson, V., see Stamm, S. (64) 108
Heath, J.K., see Thier, M. (64) 80
Held-Feindt, J., Krisch, B. and Mentlein, R.
Molecular analysis of the somatostatin receptor subtype 2 in human glioma cells (64) 101
Helfman, D.M., see Stamm, S. (64) 108
Heng, H.H.Q., see Sawzdargo, M. (64) 193
Higasa, K., see Hamamura, M. (64) 119
Huang, L.-D., see Chen, G. (64) 52

Ibarrola, N., see Pombo, P.M.G. (64) 92
Imai, Y., see Tanabe, K. (64) 34
Ismail-Beigi, F., see Badr, G.A. (64) 24
Iwaki, A., see Hamamura, M. (64) 119

Jiang, Y.-M., see Chen, G. (64) 52

Kalra, P.S., see Pu, S. (64) 85
Kalra, S.P., see Pu, S. (64) 85
Kaplan, I.V., see Mower, G.D. (64) 264
Kern, T.S., see Badr, G.A. (64) 24
Kikuchi, T., see Mori, S. (64) 199
Kimuro, Y., see Hamamura, M. (64) 119
King, B.F., see Townsend-Nicholson, A. (64) 246
Kiryu-Seo, S., see Tanabe, K. (64) 34
Kitayama, S., see Mizuno, N. (64) 41
Kiyama, H., see Tanabe, K. (64) 34

Kondo, H., see Kudo, M. (64) 179
Krisch, B., see Held-Feindt, J. (64) 101
Kudo, M., Saito, S., Sakagami, H., Suzaki, H. and Kondo, H.
Localization of mRNAs for synaptojanin isoforms in the brain of developing and mature rats (64) 179
Kurihara, H., see Mizuno, N. (64) 41

Landwehrmeyer, G.B., see Standaert, D.G. (64) 11
Lee, D.K., see Sawzdargo, M. (64) 193
Ling, Z., see Dodel, R.C. (64) 141
Lynch, K.R., see Sawzdargo, M. (64) 193

Makoff, A.
Molecular cloning of human $GABA_BR1$ and its tissue distribution (64) 137
Manji, H.K., see Chen, G. (64) 52
Massi, M., see Pompei, P. (64) 132
Mattson, M.P., see Wernyj, R.P. (64) 69
Mentlein, R., see Held-Feindt, J. (64) 101
Mitsuhata, C., see Mizuno, N. (64) 41
Mizuno, N., Kitayama, S., Saishin, Y., Shimada, S., Morita, K., Mitsuhata, C., Kurihara, H. and Dohi, T.
Molecular cloning and characterization of rat *trp* homologues from brain (64) 41
Mori, S., Sugawara, S., Kikuchi, T., Tanji, M., Narumi, O., Stoykova, A., Nishikawa, S.-I. and Yokota, Y.
The leukemic oncogene *tal-2* is expressed in the developing mouse brain (64) 199
Morita, K., see Mizuno, N. (64) 41
Mower, G.D. and Kaplan, I.V.
Fos expression during the critical period in visual cortex: differences between normal and dark reared cats (64) 264

Nakagomi, S., see Tanabe, K. (64) 34
Nakai, M., Qin, Z.-H., Wang, Y. and Chase, T.N.
Free radical scavenger OPC-14117 attenuates quinolinic acid-induced NF-κB activation and apoptosis in rat striatum (64) 59
Namikawa, K., see Tanabe, K. (64) 34
Narumi, O., see Mori, S. (64) 199
Nawoschik, S.P., see Olsen, M.A. (64) 255
Nguyen, T., see Sawzdargo, M. (64) 193
Nishikawa, S.-I., see Mori, S. (64) 199
Nixon, R.A., see Buchner, K. (64) 222

ELSEVIER

Molecular Brain Research 64 (1999) 270–271

MOLECULAR BRAIN RESEARCH

# Author Index

Adamec, E., see Buchner, K. (64) 222

Badr, G.A., Zhang, J.-Z., Tang, J., Kern, T.S. and Ismail-Beigi, F.
Glut1 and Glut3 expression, but not capillary density, is increased by cobalt chloride in rat cerebrum and retina (64) 24
Bales, K.R., see Dodel, R.C. (64) 141
Ball, S.G., see Danks, K. (64) 236
Barettino, D., see Pombo, P.M.G. (64) 92
Barth, S.W. and Gerstberger, R.
Differential regulation of angiotensinogen and $AT_{1A}$ receptor mRNA within the rat subfornical organ during dehydration (64) 151
Batten, T.F.C., see Danks, K. (64) 236
Beermann, M.L., see Buchner, K. (64) 222
Bekker, J.M., see Phung, Y.T. (64) 165
Bertoni-Freddari, C., see Pompei, P. (64) 132
Black, S.M., see Phung, Y.T. (64) 165
Buchner, K., Adamec, E., Beermann, M.L. and Nixon, R.A.
Isoform-specific translocation of protein kinase C following glutamate administration in primary hippocampal neurons (64) 222
Burno, M., see Olsen, M.A. (64) 255
Burnstock, G., see Townsend-Nicholson, A. (64) 246

Carvey, P.M., see Dodel, R.C. (64) 141
Casper, D., see Stamm, S. (64) 108
Chase, T.N., see Nakai, M. (64) 59
Chen, G., Yuan, P.-X., Jiang, Y.-M., Huang, L.-D. and Manji, H.K.
Valproate robustly enhances AP-1 mediated gene expression (64) 52
Cheng, R., see Sawzdargo, M. (64) 193
Christakos, S., see Wernyj, R.P. (64) 69
Chung, J.M., see Shen, H. (64) 186
Chung, K., see Shen, H. (64) 186
Costa, G., see Pompei, P. (64) 132

Danks, K., Wade, J.A., Batten, T.F.C., Walker, J.H., Ball, S.G. and Vaughan, P.F.T.
Redistribution of F-actin and large dense-cored vesicles in the human neuroblastoma SH-SY5Y in response to secretagogues and protein kinase Cα activation (64) 236
Dodel, R.C., Du, Y., Bales, K.R., Ling, Z., Carvey, P.M. and Paul, S.M.
Caspase-3-like proteases and 6-hydroxydopamine induced neuronal cell death (64) 141
Dohi, T., see Mizuno, N. (64) 41

Du, Y., see Dodel, R.C. (64) 141
Dube, M.G., see Pu, S. (64) 85

Edwards, T.G., see Pu, S. (64) 85

Fattoretti, P., see Pompei, P. (64) 132
Faull, R.L.M., see Valdenaire, O. (64) 211
Friberg, I.K., see Standaert, D.G. (64) 11
Fukumaki, Y., see Hamamura, M. (64) 119

George, S.R., see Sawzdargo, M. (64) 193
Gerstberger, R., see Barth, S.W. (64) 151
Gill, R., see Van Lookeren Campagne, M. (64) 1

Hall, M., see Thier, M. (64) 80
Hallmark, O.G., see Phung, Y.T. (64) 165
Hamamura, M., Ozawa, H., Kimuro, Y., Okouchi, J., Higasa, K., Iwaki, A. and Fukumaki, Y.
Differential decreases in c-*fos* and aldolase C mRNA expression in the rat cerebellum after repeated administration of methamphetamine (64) 119
Hanson, V., see Stamm, S. (64) 108
Heath, J.K., see Thier, M. (64) 80
Held-Feindt, J., Krisch, B. and Mentlein, R.
Molecular analysis of the somatostatin receptor subtype 2 in human glioma cells (64) 101
Helfman, D.M., see Stamm, S. (64) 108
Heng, H.H.Q., see Sawzdargo, M. (64) 193
Higasa, K., see Hamamura, M. (64) 119
Huang, L.-D., see Chen, G. (64) 52

Ibarrola, N., see Pombo, P.M.G. (64) 92
Imai, Y., see Tanabe, K. (64) 34
Ismail-Beigi, F., see Badr, G.A. (64) 24
Iwaki, A., see Hamamura, M. (64) 119

Jiang, Y.-M., see Chen, G. (64) 52

Kalra, P.S., see Pu, S. (64) 85
Kalra, S.P., see Pu, S. (64) 85
Kaplan, I.V., see Mower, G.D. (64) 264
Kern, T.S., see Badr, G.A. (64) 24
Kikuchi, T., see Mori, S. (64) 199
Kimuro, Y., see Hamamura, M. (64) 119
King, B.F., see Townsend-Nicholson, A. (64) 246
Kiryu-Seo, S., see Tanabe, K. (64) 34
Kitayama, S., see Mizuno, N. (64) 41
Kiyama, H., see Tanabe, K. (64) 34

Kondo, H., see Kudo, M. (64) 179
Krisch, B., see Held-Feindt, J. (64) 101
Kudo, M., Saito, S., Sakagami, H., Suzaki, H. and Kondo, H.
Localization of mRNAs for synaptojanin isoforms in the brain of developing and mature rats (64) 179
Kurihara, H., see Mizuno, N. (64) 41

Landwehrmeyer, G.B., see Standaert, D.G. (64) 11
Lee, D.K., see Sawzdargo, M. (64) 193
Ling, Z., see Dodel, R.C. (64) 141
Lynch, K.R., see Sawzdargo, M. (64) 193

Makoff, A.
Molecular cloning of human $GABA_BR1$ and its tissue distribution (64) 137
Manji, H.K., see Chen, G. (64) 52
Massi, M., see Pompei, P. (64) 132
Mattson, M.P., see Wernyj, R.P. (64) 69
Mentlein, R., see Held-Feindt, J. (64) 101
Mitsuhata, C., see Mizuno, N. (64) 41
Mizuno, N., Kitayama, S., Saishin, Y., Shimada, S., Morita, K., Mitsuhata, C., Kurihara, H. and Dohi, T.
Molecular cloning and characterization of rat *trp* homologues from brain (64) 41
Mori, S., Sugawara, S., Kikuchi, T., Tanji, M., Narumi, O., Stoykova, A., Nishikawa, S.-I. and Yokota, Y.
The leukemic oncogene *tal-2* is expressed in the developing mouse brain (64) 199
Morita, K., see Mizuno, N. (64) 41
Mower, G.D. and Kaplan, I.V.
Fos expression during the critical period in visual cortex: differences between normal and dark reared cats (64) 264

Nakagomi, S., see Tanabe, K. (64) 34
Nakai, M., Qin, Z.-H., Wang, Y. and Chase, T.N.
Free radical scavenger OPC-14117 attenuates quinolinic acid-induced NF-κB activation and apoptosis in rat striatum (64) 59
Namikawa, K., see Tanabe, K. (64) 34
Narumi, O., see Mori, S. (64) 199
Nawoschik, S.P., see Olsen, M.A. (64) 255
Nguyen, T., see Sawzdargo, M. (64) 193
Nishikawa, S.-I., see Mori, S. (64) 199
Nixon, R.A., see Buchner, K. (64) 222

Ochi, T., see Tanabe, K. (64) 34
O'Dowd, B.F., see Sawzdargo, M. (64) 193
Okamoto, K., see Van Lookeren Campagne, M. (64) 1
Okouchi, J., see Hamamura, M. (64) 119
Olsen, M.A., Nawoschik, S.P., Schurman, B.R., Schmitt, H.L., Burno, M., Smith, D.L. and Schechter, L.E.
Identification of a human 5-$HT_6$ receptor variant produced by alternative splicing (64) 255
Ozawa, H., see Hamamura, M. (64) 119

Paul, S.M., see Dodel, R.C. (64) 141
Penney Jr., J.B., see Standaert, D.G. (64) 11
Pennica, D., see Thier, M. (64) 80
Phung, Y.T., Bekker, J.M., Hallmark, O.G. and Black, S.M.
Both neuronal NO synthase and nitric oxide are required for PC12 cell differentiation: a cGMP independent pathway (64) 165
Pombo, P.M.G., Barettino, D., Ibarrola, N., Vega, S. and Rodríguez-Peña, A.
Stimulation of the myelin basic protein gene expression by 9-*cis*-retinoic acid and thyroid hormone: activation in the context of its native promoter (64) 92
Pompei, P., Severini, R., Costa, G., Massi, M., Fattoretti, P. and Bertoni-Freddari, C.
In situ hybridization analysis of preprotachykinin-A mRNA levels in young and old rats (64) 132
Prives, C., see Van Lookeren Campagne, M. (64) 1
Pu, S., Dube, M.G., Edwards, T.G., Kalra, S.P. and Kalra, P.S.
Disruption of neural signaling within the hypothalamic ventromedial nucleus upregulates galanin gene expression in association with hyperphagia: an in situ hybridization analysis (64) 85

Qin, Z.-H., see Nakai, M. (64) 59

Richards, J.G., see Valdenaire, O. (64) 211
Rodríguez-Peña, A., see Pombo, P.M.G. (64) 92

Saishin, Y., see Mizuno, N. (64) 41
Saito, S., see Kudo, M. (64) 179
Sakagami, H., see Kudo, M. (64) 179
Sawzdargo, M., Nguyen, T., Lee, D.K., Lynch, K.R., Cheng, R., Heng, H.H.Q., George, S.R. and O'Dowd, B.F.
Identification and cloning of three novel human G protein-coupled receptor genes GPR52, ΨGPR53 and GPR55: GPR55 is extensively expressed in human brain (64) 193
Schechter, L.E., see Olsen, M.A. (64) 255
Schmitt, H.L., see Olsen, M.A. (64) 255
Schurman, B.R., see Olsen, M.A. (64) 255
Schweizer, A., see Valdenaire, O. (64) 211
Severini, R., see Pompei, P. (64) 132
Shen, H., Chung, J.M. and Chung, K.
Expression of neurotrophin mRNAs in the dorsal root ganglion after spinal nerve injury (64) 186
Shimada, S., see Mizuno, N. (64) 41
Smith, D.L., see Olsen, M.A. (64) 255
Stamm, S., Casper, D., Hanson, V. and Helfman, D.M.
Regulation of the neuron-specific exon of clathrin light chain B (64) 108
Standaert, D.G., Friberg, I.K., Landwehrmeyer, G.B., Young, A.B. and Penney Jr., J.B.
Expression of NMDA glutamate receptor subunit mRNAs in neurochemically identified projection and interneurons in the striatum of the rat (64) 11
Stoykova, A., see Mori, S. (64) 199
Sugawara, S., see Mori, S. (64) 199
Suzaki, H., see Kudo, M. (64) 179

Tanabe, K., Nakagomi, S., Kiryu-Seo, S., Namikawa, K., Imai, Y., Ochi, T., Tohyama, M. and Kiyama, H.
Expressed-sequence-tag approach to identify differentially expressed genes following peripheral nerve axotomy (64) 34
Tang, J., see Badr, G.A. (64) 24
Tanji, M., see Mori, S. (64) 199
Thier, M., Hall, M., Heath, J.K., Pennica, D. and Weis, J.
Trophic effects of cardiotrophin-1 and interleukin-11 on rat dorsal root ganglion neurons in vitro (64) 80
Tohyama, M., see Tanabe, K. (64) 34
Townsend-Nicholson, A., King, B.F., Wildman, S.S. and Burnstock, G.
Molecular cloning, functional characterization and possible cooperativity between the murine $P2X_4$ and $P2X_{4a}$ receptors (64) 246

Valdenaire, O., Richards, J.G., Faull, R.L.M. and Schweizer, A.
XCE, a new member of the endothelin-converting enzyme and neutral endopeptidase family, is preferentially expressed in the CNS (64) 211
Van Lookeren Campagne, M., Okamoto, K., Prives, C. and Gill, R.
Developmental expression and co-localization of cyclin G1 and the B′ subunits of protein phosphatase 2a in neurons (64) 1
Vaughan, P.F.T., see Danks, K. (64) 236
Vega, S., see Pombo, P.M.G. (64) 92

Wade, J.A., see Danks, K. (64) 236
Walker, J.H., see Danks, K. (64) 236
Wang, Y., see Nakai, M. (64) 59
Weis, J., see Thier, M. (64) 80
Wernyj, R.P., Mattson, M.P. and Christakos, S.
Expression of calbindin-$D_{28k}$ in C6 glial cells stabilizes intracellular calcium levels and protects against apoptosis induced by calcium ionophore and amyloid β-peptide (64) 69
Wildman, S.S., see Townsend-Nicholson, A. (64) 246

Yokota, Y., see Mori, S. (64) 199
Young, A.B., see Standaert, D.G. (64) 11
Yuan, P.-X., see Chen, G. (64) 52

Zhang, J.-Z., see Badr, G.A. (64) 24